

MATERIAL SAFETY DATA SHEET

I. PRODUCT IDENTIFICATION

Product Name: FANTASY FX *a.k.a. Poof a.k.a Windicator*
Date of Revision: 10/06/08
Produced By: CITC
1420 80th St. SW Suite #D
Everett, WA 98203
Prepared By: MSDS Coordinator
Emergency Phone: CHEM-TEL, INC. 1-800-255-3924

II. HAZARDOUS INGREDIENTS

Exposure Limits In Air: ACGIH TLV OSHA PEL
n-Propane Cas Number 674-98-6
iso-butane Cas Number 106-97-8

III. PHYSICAL PROPERTIES

Chemical Name: Medicinal Grade Mineral Oil (Proprietary formula)
Vapor Density: (AIR+1) 1.7
Specific Gravity: 0.35
Melting point or Range: N/A
Boiling point or Range: 43.8F
Solubility in Water: Insoluble
Evaporation Rate: (Butyl acetate = 1): 1.4 Faster than ether
Vapor Pressure: mmHG AT 68° F (20° C): 1206
Appearance and Odor: Odorless aerosol; dispenses haze

IV. FIRE AND EXPLOSION

Flash point: 140° F (60° C).
Flammable Limits In Air: Lower (LEL) 1.9; upper (UEL) 9.5
Extinguishing Media: Cylinders contain hydrocarbon oil and gas propellants. Stop flow of spray by releasing nozzle.
Unusual Fire and Explosion Hazards: Cylinders that are exposed to fire may rupture with force. Extinguish surrounding fire and keep cylinders cool using maximum possible distance. Contents under pressure. Do not puncture or incinerate container. Do not expose to heat. Do not store above 120°F. Avoid all spark or open flames. Keep out of reach of children.

V. HEALTH HAZARD INFORMATION

- Symptoms of Overexposure:** **Anesthetic**, Lightheadedness, possible nausea
- Inhaled:** Not with ordinary use. Acute exposure may result in mild bronchial irritation.
- Contact with Skin or Eyes:** Possible frostbite if sprayed directly at close distance.
- Absorbed through skin:** None with ordinary use. With chronic exposure, may cause contact or eczematous dermatitis.
- Swallowed:** Harmful or fatal if swallowed

Health Effects or Risks from Exposure

- Acute:** In mist form below the ACGIH TLV: NONE
- Chronic:** Animal studies indicate that repeated or prolonged exposure may result in mild irritation.

First Aid Emergency Procedures

- Eye Contact:** Wash eyes with large amounts of water/saline solution occasionally lifting upper and lower eyelids until evidence of chemical is clear.
- Skin Contact:** Wash with soap and water.
- Suspected Cancer Agent:** None.

This product's ingredients are not found in the lists below:
Federal, OSHA, NTP, IARC

VI. REACTIVITY DATA

- Stability:** Stable
- Incompatibility (materials to avoid):** Oxidizing materials
- Hazardous decomposition products:** (When in a fire) Carbon monoxide and carbon dioxide. No CFC'S
- Hazardous polymerization:** Will not occur

VII. SPILL, LEAK, AND DISPOSAL PROCEDURES

- Spill response procedures:** None (an aerosol)
- Preparing wastes for disposal (container types, neutralization, etc.):** Do not puncture or incinerate containers. Give leaking or full containers to a disposal service equipped to handle pressurized containers.

VIII. SPECIAL HANDLING INFORMATION

Respiratory protection:	Not needed when following directions.
Eye protection:	Not needed. Spray away from eyes.
Gloves:	Not required for normal use.
Other Clothing and Equipment:	No special equipment needed.

IX. SPECIAL PRECAUTIONS

Storage: Do not store where temperatures could exceed 130° F (55° C).
Do not expose to direct sunlight due to high heat pressure build-up

X. REGULATORY & TRANSPORTATION

US DOT: Shipping name: Consumer Commodity
Class: ORM-D

IMDG (OCEAN): Shipping name: Consumer Commodity
ORM-D
UN NO 1950
LABEL: NONE
MARINE POLLUTANT; NO

IATA (AIR): SHIPPING NAME: CONSUMER COMMODITY, ID 8000, AIR
UN NO.: NONE
HAZARDOUS CLASS: 9 Placard
PACKAGING INSTRUCTION: 910
QUANTITY: NO OF "Fiberboard Boxes" x total Wt. in Kg
Handling: 2004 ERG 171